

Copper Patch Panel Guide

High-Density Copper Management Solutions



Flexible Copper System Solutions

Maximize the performance of your network with reliable, high-quality, and customizable copper patch panel solutions. With our flexible inventory, we'll deliver the right products for your specific network requirements. Choose from a wide selection of punch down or inline coupler panels to support your network installations and expansions — today and tomorrow.

CAT5E Punch Down Patch Panels

CAT6 Punch Down Patch Panels

CAT5E Keystone Coupler Panels

CAT6 Keystone Coupler Panels

CAT6A Keystone Coupler Panels



CAT5E Punch Down Patch Panels

1U
SOLUTIONS



GT-C5EPPR1U-12



GT-C5EPPR1U-24

2U
SOLUTIONS



GT-C5EPPR2U-48

4U
SOLUTIONS



GT-C5EPPR4U-96

GT-C5EPPR1U-12

CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 12 Port



The GigaTech Products **GT-C5EPPR1U-12** provides a rugged 1U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 12x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C5EPPR1U-12


CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 12 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EPPR1U-24

CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 24 Port



The GigaTech Products **GT-C5EPPR1U-24** provides a rugged 1U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C5EPPR1U-24



CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EPPR2U-48

CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 2U- 48 Port



The GigaTech Products **GT-C5EPPR2U-48** provides a rugged 2U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 2U |
| Ports | 110 / 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 87.7mm | Application | Cable Management |

GT-C5EPPR2U-48



CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color


Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EPPR4U-96

CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 4U- 96 Port



The GigaTech Products **GT-C5EPPR4U-96** provides a rugged 4U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 4U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 4U |
| Ports | 110 / 96x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 176.5mm | Application | Cable Management |

GT-C5EPPR4U-96


CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 4U- 96 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 176.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EPPWM-12

CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Wall Mount- 12 Port



The GigaTech Products **GT-C5EPPWM-12** provides a rugged 1U wall mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Wall Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 12x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Wall Mount |
| Installation | 89D Wall Bracket | Shielded | No |
| Dimensions | 254 x 57.4 x 47.3mm | Application | Cable Management |

GT-C5EPPWM-12



CAT5E Patch Panel Punch Down RJ-45 / 110 T568A/B Wall Mount- 12 Port


Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 254 x 57.4 x 47.3mm

RJ45 Housing: PBT, UL 94V-0





CAT6 Punch Down Patch Panels

1U
SOLUTIONS



GT-C6PPR1U-12



GT-C6PPR1U-24

2U
SOLUTIONS



GT-C6PPR2U-48

4U
SOLUTIONS



GT-C6PPR4U-96

GT-C6PPR1U-12

CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 12 Port



The GigaTech Products **GT-C6PPR1U-12** provides a rugged 1U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 12x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C6PPR1U-12


CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 12 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6PPR1U-24

CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 24 Port



The GigaTech Products **GT-C6PPR1U-24** provides a rugged 1U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C6PPR1U-24



CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6PPR2U-48

CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 2U- 48 Port



The GigaTech Products **GT-C6PPR2U-48** provides a rugged 2U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 2U |
| Ports | 110 / 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 87.7mm | Application | Cable Management |

GT-C6PPR2U-48



CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6PPR4U-96

CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 4U- 96 Port



The GigaTech Products **GT-C6PPR4U-96** provides a rugged 4U rack mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 4U Rack Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 4U |
| Ports | 110 / 96x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 176.5mm | Application | Cable Management |

GT-C6PPR4U-96


CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Rack Mount 4U- 96 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 176.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6PPWM-12

CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Wall Mount- 12 Port



The GigaTech Products **GT-C6PPWM-12** provides a rugged 1U wall mount solution for high density copper termination. This panel has a 110 punch down termination on the back of the panel for connection to structured cabling. Front side RJ45 connections are available for easy insertion and removal of ethernet cables. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Wall Mountable
- RJ45 Plug and Play Connections
- Terminates 4-pair, 22–26 AWG, Twisted Pair with T568A/B Schemes

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 1U |
| Ports | 110 / 12x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Wall Mount |
| Installation | 89D Wall Bracket | Shielded | No |
| Dimensions | 254 x 57.4 x 47.3mm | Application | Cable Management |

GT-C6PPWM-12



CAT6 Patch Panel Punch Down RJ-45 / 110 T568A/B Wall Mount- 12 Port


Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 254 x 57.4 x 47.3mm

RJ45 Housing: PBT, UL 94V-0





CAT5E Keystone Coupler Panels

1U
SOLUTIONS



GT-C5EKCHDPPR1U-24



GT-C5EKCHDSPPR1U-24

2U
SOLUTIONS



GT-C5EKCHDPPR2U-48



GT-C5EKCHDSPPR2U-48

**KEYSTONE
COUPLERS**



GT-C5EKC-K



GT-C5ESKC-S

GT-C5EKCHDPPR1U-24

CAT5E Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
1U- 24 Port



The GigaTech Products **GT-C5EKCHDPPR1U-24K** provides a rugged 1U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 1U |
| Ports | 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C5EKCHDPPR1U-24


CAT5E Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EKCHDSPPR1U-24

CAT5E Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port



The GigaTech Products **GT-C5EKCHDSPPR1U-24** provides a rugged 1U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded Keystone
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 1U |
| Ports | 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C5EKCHDSPR1U-24


CAT5E Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EKCHDPPR1U-48

CAT5E Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
2U- 48 Port



The GigaTech Products **GT-C5EKCHDPPR1U-48K** provides a rugged 2U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 2U |
| Ports | 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 87.7 x 28.9mm | Application | Cable Management |

GT-C5EKCHDPPR1U-48


CAT5E Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C5EKCHDSPR2U-48

CAT5E Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port



The GigaTech Products **GT-C5EKCHDSPR2U-48** provides a rugged 2U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded Keystone
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT5E Copper Patch Panel | Rack Spaces | 2U |
| Ports | 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 87.7 x 28.9mm | Application | Cable Management |

GT-C5EKCHDSPR2U-48


CAT5E Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port


Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0





CAT6 Keystone Coupler Panels

1U
SOLUTIONS



GT-C6KCHDPPR1U-24



GT-C6KCHDSPPR1U-24

2U
SOLUTIONS



GT-C6KCHDPPR2U-48



GT-C6KCHDSPPR2U-48

**KEYSTONE
COUPLERS**



GT-C6KC-K



GT-C6KC-S

GT-C6KCHDPPR1U-24

CAT6 Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
1U- 24 Port



The GigaTech Products **GT-C6KCHDPPR1U-24K** provides a rugged 1U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 1U |
| Ports | 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C6KCHDPPR1U-24


CAT6 Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6KCHDSPR1U-24

CAT6 Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port



The GigaTech Products **GT-C6KCHDSPR1U-24** provides a rugged 1U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded Keystone
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 1U |
| Ports | 24x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C6KCHDSPPR1U-24


CAT6 Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6KCHDPPR2U-48

CAT6 Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
2U- 48 Port



The GigaTech Products **GT-C6KCHDPPR2U-48K** provides a rugged 2U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 2U |
| Ports | 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | No |
| Dimensions | 482.6 x 87.7 x 28.9mm | Application | Cable Management |

GT-C6KCHDPPR2U-48


CAT6 Keystone Inline Coupler Loaded HD Flush Mount Patch Panel Rack Mount
2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6KCHDSPR2U-48

CAT6 Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port



The GigaTech Products **GT-C6KCHDSPR2U-48** provides a rugged 2U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded Keystone
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|-------------------------|--------------------|------------------|
| Product Type | CAT6 Copper Patch Panel | Rack Spaces | 2U |
| Ports | 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 87.7 x 28.9mm | Application | Cable Management |

GT-C6KCHDSPPR2U-48


CAT6 Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0





CAT6A Keystone Coupler Panels

1U
SOLUTIONS



GT-C6AKCHDSPPR1U-24

2U
SOLUTIONS



GT-C6AKCHDSPPR2U-48

**KEYSTONE
COUPLERS**



GT-C6AKC-S

GT-C6AKCHDSPPR1U-24

CAT6A Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port



The GigaTech Products **GT-C6AKCHDSPPR1U-24** provides a rugged 1U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 1U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT6A Copper Patch Panel | Rack Spaces | 1U |
| Ports | Up to 24 RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 43.5mm | Application | Cable Management |

GT-C6AKCHDSPPR1U-24


CAT6A Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 1U- 24 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 43.5 x 482.6mm

RJ45 Housing: PBT, UL 94V-0



GT-C6AKCHDSPR2U-48

CAT6A Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port



The GigaTech Products **GT-C6AKCHDSPR2U-48** provides a rugged 2U rack mount solution for high density copper termination. UTP couplers snap in and out of the front panel for easy changes. Labels are provided for quick port identification and efficient system management. As with all GigaTech products, these enclosures are tested for quality and reliability and are covered by our standard Lifetime Warranty.

Features

- 2U Rack Mountable
- RJ45 Plug and Play Connections
- Detachable Rear Strain Relief Bar
- Shielded Keystone
- Mounts to standard 19" EIA Rack

Compliance

- RoHS Compliant
- ISO9001
- TIA/EIA568

Applications:

- Copper Cable Management

Specifications

| | | | |
|---------------------|--------------------------|--------------------|------------------|
| Product Type | CAT6A Copper Patch Panel | Rack Spaces | 2U |
| Ports | 48x RJ45 | Loaded | Yes |
| Material | SPCC Steel | Mount Type | Rack Mount |
| Installation | EIA 19" Rack Rails | Shielded | Yes |
| Dimensions | 482.6 x 87.7 x 28.9mm | Application | Cable Management |

GT-C6AKCHDSPR2U-48

CAT6A Keystone Inline Coupler Loaded HD Flush Mount Shielded Patch Panel
Rack Mount 2U- 48 Port

Specifications:

Panel Material: SPCC, 1.5mm thickness, Black Color

Dimensions: 87.7 x 482.6mm

RJ45 Housing: PBT, UL 94V-0

